


DIMENSIONS & RECOMMENDED PATTERN



※FEATURE

Applications: Notebook PC, LCD TV, MP3-player, G.P.S, PDA

SELECTION GUIDE FOR STANDARD COILS:

MAGLAYERS PT/NO.	Inductance L(μH)	Percent Tolerance	Test Frequency	Resistance RDC(Ω)Max.	Rated DC Current IDC(A)	Marking
GSCD-54-R47 □	0.47	N	100kHz/0.25V	16 m	4.50	R47
GSCD-54-R56 □	0.56	N	100kHz/0.25V	16 m	4.50	R56
GSCD-54-1R0 □	1.0	M,N	100kHz/0.25V	28 m	3.00	1R0
GSCD-54-1R4 □	1.4	M,N	100kHz/0.25V	29 m	2.80	1R4
GSCD-54-1R8 □	1.8	M,N	100kHz/0.25V	30 m	2.60	1R8
GSCD-54-2R2 □	2.2	M,N	100kHz/0.25V	42 m	2.30	2R2
GSCD-54-2R7 □	2.7	M,N	100kHz/0.25V	44 m	2.10	2R7
GSCD-54-3R3 □	3.3	M,N	100kHz/0.25V	45 m	2.00	3R3
GSCD-54-3R9 □	3.9	M,N	100kHz/0.25V	47 m	1.95	3R9
GSCD-54-4R7 □	4.7	M,N	100kHz/0.25V	48 m	1.90	4R7
GSCD-54-5R0 □	5.0	M,N	100kHz/0.25V	49 m	1.85	5R0
GSCD-54-5R6 □	5.6	M,N	100kHz/0.25V	50 m	1.80	5R6
GSCD-54-6R8 □	6.8	M,N	100kHz/0.25V	60 m	1.60	6R8
GSCD-54-8R2 □	8.2	M,N	100kHz/0.25V	90 m	1.50	8R2
GSCD-54-100 □	10	M,N	100kHz/0.25V	0.10	1.44	100
GSCD-54-120 □	12	M,N	100kHz/0.25V	0.12	1.40	120
GSCD-54-150 □	15	L,M,N	100kHz/0.25V	0.14	1.30	150
GSCD-54-180 □	18	M,N	100kHz/0.25V	0.15	1.23	180
GSCD-54-220 □	22	K,M,N	100kHz/0.25V	0.18	1.11	220
GSCD-54-270 □	27	M,N	100kHz/0.25V	0.20	0.97	270
GSCD-54-330 □	33	K,L,M	100kHz/0.25V	0.23	0.88	330
GSCD-54-390 □	39	L,M	100kHz/0.25V	0.32	0.80	390
GSCD-54-470 □	47	L,M	100kHz/0.25V	0.37	0.72	470
GSCD-54-560 □	56	K,M	100kHz/0.25V	0.42	0.68	560
GSCD-54-680 □	68	K,M	100kHz/0.25V	0.46	0.61	680
GSCD-54-820 □	82	K,M	100kHz/0.25V	0.60	0.58	820
GSCD-54-101 □	100	K,M	100kHz/0.25V	0.70	0.52	101
GSCD-54-121 □	120	K,M	100kHz/0.25V	0.93	0.48	121
GSCD-54-151 □	150	K,M	100kHz/0.25V	1.10	0.40	151
GSCD-54-181 □	180	K,M	100kHz/0.25V	1.38	0.38	181
GSCD-54-221 □	220	K,M	100kHz/0.25V	1.57	0.35	221
GSCD-54-271 □	270	K,M	100kHz/0.25V	1.85	0.28	271
GSCD-54-331 □	330	K,M	100kHz/0.25V	2.00	0.26	331
GSCD-54-391 □	390	K,M	100kHz/0.25V	2.60	0.24	391
GSCD-54-471 □	470	K,M	100kHz/0.25V	3.00	0.12	471
GSCD-54-561 □	560	K,M	100kHz/0.25V	3.50	0.11	561
GSCD-54-102 □	1000	K,M	100kHz/0.25V	6.20	80m	102
GSCD-54-152 □	1500	K,M	100kHz/0.25V	8.40	70m	152
GSCD-54-222 □	2200	K,M	100kHz/0.25V	12.90	50m	222

※GENERAL SPECIFICATION:


※ 1. □ Specify the inductance tolerance, K($\pm 10\%$), L($\pm 15\%$), M($\pm 20\%$), N($\pm 30\%$)

※ 2. IDC : Based on inductance change ($\Delta L/L_0$: drop 10% Max.) @ ambient temp. 25°C and

Based on temperature rise(ΔT : 40°C TYP.)

(4) RELIABILITY TEST METHOD

MECHANICAL

TEST ITEM	SPECIFICATION	TEST DETAILS
Substrate bending	$\Delta L/L_0 \leq \pm 5\%$ There shall be no mechanical damage or electrical damage.	<p>The sample shall be soldered onto the printed circuit board in figure 1 and a load applied until the figure in the arrow direction is made approximately 3mm.(keep time 30 seconds)</p> <p>PCB dimension shall the page 7/9</p> <p style="text-align: center;">F(Pressurization)</p>  <p style="text-align: center;">PRESSURE ROD figure-1</p>
Vibration	$\Delta L/L_0 \leq \pm 5\%$ There shall be no mechanical damage.	<p>The sample shall be soldered onto the printed circuit board and when a vibration having an amplitude of 1.52mm and a frequency of from 10 to 55Hz/1 minute repeated should be applied to the 3 directions (X,Y,Z) for 2 hours each.</p> <p>(A total of 6 hours)</p>
Solderability	New solder More than 90%	<p>Flux (rosin, isopropyl alcohol{JIS-K-1522}) shall be coated over the whole of the sample before hard, the sample shall then be preheated for about 2 minutes in a temperature of 130~150°C and after it has been immersed to a depth 0.5mm below for 3±0.2 seconds fully in molten solder M705 with a temperature of 245±5°C.</p> <p>More than 90% of the electrode sections shall be covered with new solder smoothly when the sample is taken out of the solder bath.</p>



MECHANICAL

TEST ITEM	SPECIFICATION	
Resistance to Soldering heat (reflow soldering)	There shall be no damage or problems.	<p>Temperature profile of reflow soldering</p> <p>The specimen shall be passed through the reflow oven with the condition shown in the above profile for 1 time. The specimen shall be stored at standard atmospheric conditions for 1 hour, after which the measurement shall be made.</p>

ELECTRICAL

TEST ITEM	SPECIFICATION	TEST DETAILS
Insulation resistance	There shall be no other damage or problems.	DC 100V voltage shall be applied across this sample of top surface and the terminal. The insulation resistance shall be more than $1 \times 10^8 \Omega$.
Dielectric withstand voltage	There shall be no other damage or problems.	AC 100V voltage shall be applied for 1 minute across the top surface and the terminal of this sample
Temperature characteristics	$\Delta L/L20^\circ\text{C} \leq \pm 10\%$ $0 \sim 2000 \text{ ppm}/^\circ\text{C}$	The test shall be performed after the sample has stabilized in an ambient temperature of -25 to +85°C, and the value calculated based on the value applicable in a normal temperature and normal humidity shall be $\Delta L/L20^\circ\text{C} \leq \pm 10\%$.



MAG.LAYERS

ENVIRONMENT CHARACTERISTICS

TEST ITEM	SPECIFICATION																
High temperature storage	$\Delta L/L_0 \leq \pm 5\%$ There shall be no mechanical damage.	The sample shall be left for 96 ± 4 hours in an atmosphere with a temperature of $85 \pm 2^\circ\text{C}$ and a normal humidity. Upon completion of the measurement shall be made after the sample has been left in a normal temperature and normal humidity for 1 hour.															
Low temperature storage	$\Delta L/L_0 \leq \pm 5\%$ There shall be no mechanical damage.	The sample shall be left for 96 ± 4 hours in an atmosphere with a temperature of $-25 \pm 3^\circ\text{C}$. Upon completion of the test, the measurement shall be made after the sample has been left in a normal temperature and normal humidity for 1 hour.															
Change of temperature	$\Delta L/L_0 \leq \pm 5\%$ There shall be no other damage or problems	The sample shall be subject to 5 continuous cycles, such as shown in the table 2 below and then it shall be subjected to standard atmospheric conditions for 1 hour, after which measurement shall be made.															
		table 2 <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">Temperature</th> <th style="text-align: center;">Duration</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">$-25 \pm 3^\circ\text{C}$ (Thermostat No.1)</td> <td style="text-align: center;">30 min.</td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">Standard atmospheric</td> <td style="text-align: center;">No.1 → No.2</td> </tr> <tr> <td style="text-align: center;">3</td> <td style="text-align: center;">$85 \pm 2^\circ\text{C}$ (Thermostat No.2)</td> <td style="text-align: center;">30 min.</td> </tr> <tr> <td style="text-align: center;">4</td> <td style="text-align: center;">Standard atmospheric</td> <td style="text-align: center;">No.2 → No.1</td> </tr> </tbody> </table>		Temperature	Duration	1	$-25 \pm 3^\circ\text{C}$ (Thermostat No.1)	30 min.	2	Standard atmospheric	No.1 → No.2	3	$85 \pm 2^\circ\text{C}$ (Thermostat No.2)	30 min.	4	Standard atmospheric	No.2 → No.1
	Temperature	Duration															
1	$-25 \pm 3^\circ\text{C}$ (Thermostat No.1)	30 min.															
2	Standard atmospheric	No.1 → No.2															
3	$85 \pm 2^\circ\text{C}$ (Thermostat No.2)	30 min.															
4	Standard atmospheric	No.2 → No.1															
Moisture storage	$\Delta L/L_0 \leq \pm 5\%$ There shall be no mechanical damage.	The sample shall be left for 96 ± 4 hours in a temperature of $40 \pm 2^\circ\text{C}$ and a humidity (RH) of $90 \sim 95\%$. Upon completion of the test, the measurement shall be made after the sample has been left in a normal temperature and normal humidity more than 1 hour.															
Test conditions : The sample shall be reflow soldered onto the printed circuit board in every test.																	




MAG.LAYERS

(5) LAND DIMENSION (Ref.)


PCB: GLASS EPOXY $t=1.6\text{mm}$

(5)-1 LAND PATTERN DIMENSIONS

(STANDARD PATTERN) Unit : mm




(5)-2 SUBSTRATE BENDING TEST BENDING TEST BOARD




MAG.LAYERS

(6) PACKAGING

(6)-1 CARRIER TAPE DIMENSIONS (mm)





(6)-2 TAPING DIMENSIONS (mm)



MAG.LAYERS

(6)-3 REEL DIMENSIONS (mm)



(6)-4 QUANTITY

1000 pcs/Reel

The products are packaged so that no damage will be sustained.



MAG.LAYERS

GSCD-54-SERIES

Page-8/8